

Table A8-25. YOY CPUE (#/haul) in each stratum during each sampling for each species, 2011.

Sample period	Stratum	Species	CPUE	SE	
mid July	Stratum 1	Brown bullhead	2.00	2.00	
		Largemouth bass	9.67	6.69	
	Stratum 2	Smallmouth bass	0.33	0.33	
		Stratum 3	Brown bullhead	6.67	6.67
			Carp	0.33	0.33
	Stratum 4	Largemouth bass	8.00	8.00	
		Smallmouth bass	0.33	0.33	
		Brown bullhead	0.33	0.33	
		Carp	0.33	0.33	
	Stratum 5	Largemouth bass	11.67	9.28	
Brown bullhead		0.33	0.33		
Largemouth bass		2.67	2.19		
early August	Stratum 1	Largemouth bass	7.67	4.26	
	Stratum 2	Largemouth bass	0.67	0.67	
	Stratum 3	Largemouth bass	6.67	4.41	
		Smallmouth bass	0.33	0.33	
	Stratum 4	Brown bullhead	0.67	0.67	
		Largemouth bass	11.67	2.03	
	Stratum 5	Largemouth bass	9.33	3.53	
late August	Stratum 1	Largemouth bass	1.33	1.33	
		Pumpkinseed	0.33	0.33	
	Stratum 2	Smallmouth bass	0.33	0.33	
	Stratum 3	Largemouth bass	2.33	2.33	
		Pumpkinseed	0.33	0.33	
	Stratum 4	Largemouth bass	1.33	1.33	
Stratum 5	Largemouth bass	2.00	0.58		
early September	Stratum 1	Largemouth bass	1.67	1.20	
	Stratum 2	Brown bullhead	0.33	0.33	
		Largemouth bass	3.00	2.52	
		Lepomis sp.	0.33	0.33	
		White sucker	0.33	0.33	
		Yellow bullhead	0.33	0.33	
	Stratum 3	Bluegill	0.33	0.33	
		Largemouth bass	2.00	1.00	
		Largemouth bass	3.33	2.40	
	Stratum 4	Largemouth bass	10.00	5.86	
		Lepomis sp.	0.33	0.33	
		Pumpkinseed	0.33	0.33	
		Smallmouth bass	0.33	0.33	
Smallmouth bass		0.33	0.33		
late September - early October	Stratum 1	Largemouth bass	2.67	1.33	
	Stratum 2	Gizzard shad	0.33	0.33	
	Stratum 3	Gizzard shad	3.33	3.33	
		Largemouth bass	1.33	0.67	
		Lepomis sp.	0.33	0.33	
	Stratum 4	No Catch	0.00	0.00	
	Stratum 5	Largemouth bass	6.67	5.17	
		Lepomis sp.	0.33	0.33	