

**Table A8-30. 2011 YOY relative weight.***a. Sorted by sample period and stratum.*

Sample period	Stratum	Species	Relative weight	SE	N
mid July	Stratum 1	Largemouth bass	119.71	1.84	29
	Stratum 2	Smallmouth bass	122.72		1
	Stratum 3	Largemouth bass	137.36	5.71	24
		Smallmouth bass	144.55		1
	Stratum 4	Largemouth bass	122.26	1.65	35
early August	Stratum 5	Largemouth bass	125.38	2.74	8
	Stratum 1	Largemouth bass	116.31	2.13	23
	Stratum 2	Largemouth bass	115.15	0.33	2
		Largemouth bass	119.36	1.92	20
	Stratum 4	Smallmouth bass	104.30		1
late August	Stratum 4	Largemouth bass	125.97	2.24	35
	Stratum 5	Largemouth bass	127.57	3.65	28
	Stratum 1	Largemouth bass	114.39	5.13	4
	Stratum 2	Smallmouth bass	77.75		1
	Stratum 3	Largemouth bass	118.36	3.21	7
early September	Stratum 4	Largemouth bass	118.43	3.39	4
	Stratum 5	Largemouth bass	117.88	4.07	6
	Stratum 1	Largemouth bass	114.98	2.87	5
	Stratum 2	Largemouth bass	105.47	5.01	9
	Stratum 3	Largemouth bass	89.02	15.31	6
late September - early October	Stratum 4	Largemouth bass	116.74	3.96	10
	Stratum 5	Largemouth bass	115.37	3.32	30
		Smallmouth bass	102.38		1
	Stratum 1	Largemouth bass	122.54	3.44	8
	Stratum 3	Largemouth bass	129.86	10.23	4
	Stratum 5	Largemouth bass	121.13	2.58	20

**Table A8-30. 2011 YOY relative weight. (continued)***b. Sorted by sample period for whole lake*

Sample period	Species	Relative weight	SE	N
mid July	Largemouth bass	125.52	1.79	96
	Smallmouth bass	133.63	10.91	2
early August	Largemouth bass	122.90	1.38	108
	Smallmouth bass	104.30		1
late August	Largemouth bass	117.48	1.85	21
	Smallmouth bass	77.75		1
early September	Largemouth bass	111.45	2.61	60
	Smallmouth bass	102.38		1
late September - early October	Largemouth bass	122.57	2.18	32