


Figure A8-11. Relative weights trends of select species from 2000-2011.**Graph Data**

Relative weights of select species captured during electrofishing in the fall of 2000-2011.

	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Bluegill												
Rel. Wt	101.97	99.56	100.11	103.57	100.81	105.91	103.74	97.95	103.32	106.33	99.05	103.64
SE	0.42	1.04	0.37	0.61	2.46	5.03	6.23	3.11	1.52	0.73	1.59	1.26
Count	174	51	60	31	71	20	33	61	69	169	117	99
Gizzard shad	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Rel. Wt	100.17	99.83	101.50	103.62	107.32	117.47	108.6	110.6	105.6	107.4	99.0	103.5
SE	0.48	0.96	0.58	1.56	2.50	1.43	6.4	5.9	1.4	2.2	3.3	1.8
Count	191	15	60	30	20	172	98	105	152	96	42	237
Largemouth bass	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Rel. Wt	102.02	99.82	101.50	101.15	110.12	111.36	103.96	108.19	108.15	111.88	112.45	124.72
SE	0.34	0.17	0.39	0.77	1.51	0.80	2.38	3.61	2.81	1.14	2.59	3.43
Count	127	21	181	54	108	122	94	61	140	163	120	149
Pumpkinseed	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Rel. Wt	104.76	96.79	102.82	107.86	119.25	105.91	104.46	108.19	110.60	106.13	98.25	112.34
SE	0.92	2.55	0.41	1.93	3.80	0.82	2.02	1.47	1.33	0.51	0.70	0.78
Count	50	3	67	31	108	164	90	104	346	599	389	263
Smallmouth bass	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Rel. Wt	102.93	98.23	99.14	100.10	95.03	97.41	94.09	90.18	96.90	100.63	94.71	110.71
SE	1.53	1.56	0.41	0.83	3.23	1.82	2.45	1.03	3.87	1.29	4.68	5.95
Count	31	9	58	11	36	72	96	115	84	52	18	6
White perch	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Rel. Wt	102.59	97.86	99.27	104.31	93.02	92.53	86.21	91.94	92.39	89.62	106.86	85.12
SE	1.98	0.55	0.38	0.97	1.65	0.56	1.67	2.05	1.93	0.61	16.26	2.14
Count	51	42	92	31	158	139	62	43	78	135	93	43