

Mean total length of YOY fish for each stratum and whole lake by sample period in 2009.

a) By stratum and sampling period

Sample period	Stratum	Species	Mean total length (mm)	SE	N
late June	Stratum 1	White sucker	31.00		1
	Stratum 2	White perch	83.00		1
	Stratum 3	No Catch	0	0	0
	Stratum 4	No Catch	0	0	0
	Stratum 5	No Catch	0	0	0
mid July	Stratum 1	Largemouth bass	56.00	3.55	6
	Stratum 2	No Catch	0	0	0
	Stratum 3	Carp	34.53	1.62	19
	Stratum 4	Brown bullhead	44.50	3.50	2
		Largemouth bass	47.71	1.81	7
		Tesselated darter	37.00		1
		White sucker	57.75	1.55	4
	Stratum 5	Largemouth bass	49.14	1.15	14
Smallmouth bass		42.00		1	
early August	Stratum 1	Largemouth bass	60.81	1.81	27
	Stratum 2	Largemouth bass	62.00	5.00	2
		White perch	41.80	1.59	5
		White sucker	90.00		1
	Stratum 3	Carp	41.17	1.20	12
		Golden shiner	43.36	1.62	14
		Largemouth bass	59.33	2.96	6
		Lepomis sp.	33.15	0.49	13
	Stratum 4	Brown bullhead	40.00	2.00	2
		Largemouth bass	61.26	1.75	19
		Smallmouth bass	63.00		1
	Stratum 5	Bluegill	33.00		1
		Largemouth bass	67.80	2.78	10
		Smallmouth bass	56.00	5.00	2
late August	Stratum 1	Largemouth bass	72.00	2.66	5
		Smallmouth bass	74.00		1
	Stratum 2	No Catch	0	0	0
	Stratum 3	Largemouth bass	72.67	1.20	3
	Stratum 4	Largemouth bass	71.33	5.70	3
Stratum 5	No Catch	0	0	0	
September	Stratum 1	Largemouth bass	84.50	4.37	10
		Smallmouth bass	92.44	3.83	9
	Stratum 2	Smallmouth bass	102.00		1
	Stratum 3	Largemouth bass	92.00	5.37	4
		Lepomis sp.	45.00		1
	Stratum 4	Smallmouth bass	99.00		1
Stratum 5	No Catch	0	0	0	
late September	Stratum 1	Brown bullhead	74.00	4.38	6
		Largemouth bass	92.60	8.81	5
		Rock bass	49.00		1
	Stratum 2	No Catch	0	0	0
	Stratum 3	Carp	57.50	3.50	2
		Largemouth bass	97.50	0.50	2
	Stratum 4	Golden shiner	70.00		1
	Stratum 5	Brown bullhead	33.00		1
		Largemouth bass	84.00	3.00	2

Mean total length of YOY fish for each stratum and whole lake by sample period in 2009 (continued).

b) Whole lake by sampling period

Sample period	Species	Mean total length (mm)	SE	N
late June	White perch	83.0		1
	White sucker	31.0		1
mid July	Brown bullhead	44.5	3.5	2
	Carp	34.5	1.6	19
	Largemouth bass	50.3	1.2	27
	Smallmouth bass	42.0		1
	Tesselated darter	37.0		1
	White sucker	57.8	1.5	4
early August	Bluegill	33.0		1
	Brown bullhead	40.0	2.0	2
	Carp	41.2	1.2	12
	Golden shiner	43.4	1.6	14
	Largemouth bass	61.9	1.1	64
	Lepomis sp.	33.2	0.5	13
	Smallmouth bass	58.3	3.7	3
	White perch	41.8	1.6	5
White sucker	90.0		1	
late August	Largemouth bass	72.0	1.8	11
	Smallmouth bass	74.0		1
September	Largemouth bass	86.6	3.5	14
	Lepomis sp.	45.0		1
	Smallmouth bass	93.9	3.3	11
late September	Brown bullhead	68.1	6.9	7
	Carp	57.5	3.5	2
	Golden shiner	70.0		1
	Largemouth bass	91.8	4.9	9
	Rock bass	49.0		1

Mean total length of YOY fish for each stratum and whole lake by sample period in 2009 (continued).

c) Whole lake, whole year

Species	Mean length (mm)	SE	N
Bluegill	33.0		1
Brown bullhead	58.7	5.9	11
Carp	38.3	1.4	33
Golden shiner	45.1	2.3	15
Largemouth bass	65.2	1.4	125
Lepomis sp.	34.0	1.0	14
Rock bass	49.0		1
Smallmouth bass	82.8	5.06	16
Tessellated darter	37.0		1
White perch	48.7	7.0	6
White sucker	58.7	7.7	6

Mean total length of YOY fish for each stratum and whole lake by sample period in 2009 (continued).

d) Whole year by stratum

Stratum	Species	Mean total length (mm)	SE	N
Stratum 1	Brown bullhead	74.00	4.38	6
	Largemouth bass	68.79	2.27	53
	Rock bass	49.00		1
	Smallmouth bass	90.60	3.89	10
	White sucker	31.00		1
Stratum 2	Largemouth bass	62.00	5.00	2
	Smallmouth bass	102.00		1
	White perch	48.67	6.99	6
	White sucker	90.00		1
Stratum 3	Carp	38.33	1.45	33
	Golden shiner	43.36	1.62	14
	Largemouth bass	75.80	4.51	15
	Lepomis sp.	34.00	0.96	14
Stratum 4	Brown bullhead	42.25	2.10	4
	Golden shiner	70.00		1
	Largemouth bass	59.03	1.86	29
	Smallmouth bass	81.00	18.00	2
	Tesselated darter	37.00		1
	White sucker	57.75	1.55	4
Stratum 5	Bluegill	33		1
	Brown bullhead	33.00		1
	Largemouth bass	59.00	2.58	26
	Smallmouth bass	51.33	5.49	3