

Library Reference 8.7.7.2.3

YOY CPUE (#/seine haul) in each stratum during each sampling for each species, 2009.

Sample period	Stratum	Species	CPUE	SE
late June	Stratum 1	White sucker	0.33	0.33
	Stratum 2	White perch	0.33	0.33
	Stratum 3	No Catch	0	0
	Stratum 4	No Catch	0	0
	Stratum 5	No Catch	0	0
mid July	Stratum 1	Largemouth bass	2.00	2.00
	Stratum 2	No Catch	0	0
	Stratum 3	Carp	6.33	6.33
	Stratum 4	Brown bullhead	0.67	0.33
		Largemouth bass	2.33	0.33
		Tesselated darter	0.33	0.33
		White sucker	1.33	1.33
	Stratum 5	Largemouth bass	4.67	3.67
Smallmouth bass		0.33	0.33	
early August	Stratum 1	Largemouth bass	9.00	3.06
	Stratum 2	Largemouth bass	0.67	0.33
		White perch	1.67	1.67
	Stratum 3	White sucker	0.33	0.33
		Carp	4.00	4.00
		Golden shiner	4.67	3.71
		Largemouth bass	2.00	1.53
	Stratum 4	Lepomis sp.	4.33	3.84
		Brown bullhead	0.67	0.67
		Largemouth bass	6.33	0.33
		Smallmouth bass	0.33	0.33
	Stratum 5	Bluegill	0.33	0.33
		Largemouth bass	3.33	2.85
Smallmouth bass		0.67	0.33	
late August	Stratum 1	Largemouth bass	1.67	0.67
		Smallmouth bass	0.33	0.33
	Stratum 2	No Catch	0	0
	Stratum 3	Largemouth bass	1.00	0.58
	Stratum 4	Largemouth bass	1.00	0.58
	Stratum 5	No Catch	0	0
September	Stratum 1	Largemouth bass	3.33	2.03
		Smallmouth bass	3.00	3.00
	Stratum 2	Smallmouth bass	0.33	0.33
	Stratum 3	Largemouth bass	1.33	1.33
		Lepomis sp.	0.33	0.33
	Stratum 4	Smallmouth bass	0.33	0.33
Stratum 5	No Catch	0	0	
late September	Stratum 1	Brown bullhead	2.00	2.00
		Largemouth bass	1.67	0.33
		Rock bass	0.33	0.33
	Stratum 2	No Catch	0	0
	Stratum 3	Carp	0.67	0.67
		Largemouth bass	0.67	0.33
	Stratum 4	Golden shiner	0.33	0.33
	Stratum 5	Brown bullhead	0.33	0.33
Largemouth bass		0.67	0.33	