

Library Reference 9.27

2010 YOY mean CPUE (#/haul) for each species for the whole year from each stratum and the entire lake, by juvenile seine.

Species	Entire Lake		Stratum 1		Stratum 2		Stratum 3		Stratum 4		Stratum 5	
	Mean CPUE	SE	Mean CPUE	SE	Mean CPUE	SE	Mean CPUE	SE	Mean CPUE	SE	Mean CPUE	SE
Bluegill	0.033	0.019	0.056	0.056	0	0	0.056	0.056	0	0	0.056	0.056
Brown bullhead	0.056	0.033	0.111	0.111	0	0	0	0	0.167	0.121	0	0
Bullhead (species unknown)	0.011	0.011	0	0	0	0	0	0	0	0	0.056	0.056
Carp	0.011	0.011	0	0	0	0	0	0	0.056	0.056	0	0
Golden shiner	0.033	0.019	0.111	0.076	0	0	0.056	0.056	0	0	0	0
Largemouth bass	5.24	0.917	4.78	1.58	1.67	0.939	5.50	2.42	5.78	2.48	8.50	2.28
Lepomis sp.	0.033	0.019	0.056	0.056	0	0	0	0	0.056	0.056	0.056	0.056
Longnose gar	0	0	0	0	0	0	0	0	0	0	0	0
Pumpkinseed	0.089	0.044	0.278	0.177	0	0	0	0	0.056	0.056	0.111	0.111
Smallmouth bass	0.044	0.022	0.056	0.056	0	0	0	0	0.111	0.076	0.056	0.056
White sucker	0	0	0	0	0	0	0	0	0	0	0	0
Total	5.56		5.44		1.67		5.61		6.22		8.83	